

P art 1

Concrete Pump Rubber Hose




Metric hose fittings

Parts No.	Name	Description
GT11	Metric hose fittings	2" hose tail with ferrule
GT12	Metric hose fittings	2.5" hose tail with ferrule
GT13	Metric hose fittings	3" hose tail with ferrule
GT14	Metric hose fittings	3.5" hose tail with ferrule
GT15	Metric hose fittings	4" hose tail with ferrule
GT16	Metric hose fittings	4.5" hose tail with ferrule
GT17	Metric hose fittings	5" hose tail with ferrule



HD hose fittings

Parts No.	Name	Description
GT18	HD hose fittings	2" HD Stem and Ferrule
GT19	HD hose fittings	2.5" HD Stem and Ferrule
GT20	HD hose fittings	3" HD Stem and Ferrule
GT21	HD hose fittings	3.5" HD Stem and Ferrule
GT22	HD hose fittings	4" HD Stem and Ferrule
GT23	HD hose fittings	4.5" HD Stem and Ferrule
GT24	HD hose fittings	5" HD Stem and Ferrule



Hose Size

Parts No.	Name	Description
RG25	Steel Wire Rubber Hose	2"×85 bar × 2 layers
RG26	Steel Wire Rubber Hose	2.5"×85 bar × 2 layers
RG27	Steel Wire Rubber Hose	3"×85 bar × 4 layers
RG28	Steel Wire Rubber Hose	3.5"×85 bar × 4 layers
RG29	Steel Wire Rubber Hose	4"×85 bar × 4 layers
RG30	Steel Wire Rubber Hose	5"×85 bar × 4 layers
RG31	Steel Wire Rubber Hose	6"×85 bar × 4 layers




Support Disk

Note: The length can be 1 to 24 meters.

Part 2


Concrete Pump Pipe

ZX Pipe For Putzmeister




Parts No.	Name	Specification	W.P
BG32	ZX Pipe	DN125×4.5mm×3000mm×ZX 125 5"	130bar
BG33		DN125×5.0mm×3000mm×ZX 125 5"	130bar
BG34		DN125×6.0mm×3000mm×ZX 125 5"	130bar
BG35		DN125×7.0mm×3000mm×ZX 125 5"	130bar
BG36		DN125×8.0mm×3000mm×ZX 125 5"	200bar

MF Pipe For Schwing




Parts No.	Name	Specification	W.P
BG37	MF Pipe	DN125×4.5mm×3000mm×MF 125 5"	130bar
BG38		DN125×5.0mm×3000mm×MF 125 5"	130bar
BG39		DN125×6.0mm×3000mm×MF 125 5"	130bar
BG40		DN125×7.0mm×3000mm×MF 125 5"	130bar
BG41		DN125×8.0mm×3000mm×MF 125 5"	200bar

ST52 Pipe




Parts No.	Name	Specification	W.P
BG42	ST52 Pipe	DN100×4.5mm×3000mm×SK 100 4-1/2"	85bar
BG43		DN125×4.5mm×3000mm×SK 125 5-1/2"	85bar
BG44		DN125×5.0mm×3000mm×SK 125 5-1/2"	85bar
BG45		DN125×6.0mm×3000mm×SK 125 5-1/2" Insert hardened liner	85bar
BG46		DN125×7.0mm×3000mm×SK 125 5-1/2" Insert hardened liner	85bar
BG47		DN125×8.0mm×3000mm×SK 125 5-1/2" Insert hardened liner	85bar

Hardened Pipe



Parts No.	Name	Specification	W.P
BG48	Hardened Pipe	DN125×4.5mm×3000mm×SK 125 5-1/2"	Twin 130bar
BG49		DN125×4.8mm×3000mm×SK 125 5-1/2"	Twin 130bar
BG50		DN125×5.0mm×3000mm×SK 125 5-1/2"	Twin 130bar
BG51		DN125×7.0mm×3000mm×SK 125 5-1/2"	Twin 130bar

Twin Wall Pipe



Parts No.	Name	Specification	W.P
BG52	Twin Wall Pipe	DN125×(2.5+2)mm×3000mm×SK 125 5-1/2"	Twin 85bar
BG53		DN125×(3+2)mm×3000mm×SK 125 5-1/2"	Twin 85bar
BG54		DN125×(5+2)mm×3000mm×SK 125 5-1/2"	Twin 85bar

Part 3

Concrete Pump Elbow



Parts No.	Name	Description
WT55	Putzmeister DN150-90-Degree	ZX END
WT56	Putzmeister DN150-90-Degree	SK(175mm)-SK(175mm)
WT57	Putzmeister DN150-90-Degree	Male end(205mm)-SK(175mm)
WT58	Putzmeister DN150-90-Degree	Male end(205mm)-SK(168mm)



Parts No.	Name	Description
WT59	Putzmeister Flap Elbow with Cleaning Port	DN180-DN150 Casting Steel Reducing Elbow
WT60	Putzmeister Flap Elbow with Cleaning Port	DN180-DN150 Casting Steel Reducing Elbow



Parts No.	Name
WT61	Putzmeister S Pipe



Parts No.	Name	Description
WT62	Schwing No.1 Elbow	DN180-DN150 Reducer Elbow



Parts No.	Name	Description
WT63	Schwing 14D Elbow	DN180 14D hopper Elbow



Parts No.	Name	Description
WT64	DN150-90-Degree casting steel elbow	Long tangent
WT65	DN150-90-Degree casting steel elbow	Short tangent
WT66	DN150-90-Degree casting steel elbow	No tangent




Casted elbow

Parts No.	Name	Description	Parts No.	Name	Description
WT67	Cast elbow	5"×15°×R240 SK-SK	WT76	Cast elbow	5"×90°×R225 SK-SK
WT68	Cast elbow	5"×15°×R275 SK-SK	WT77	Cast elbow	5"×90°×R250 SK-SK
WT69	Cast elbow	5"×29°×R385 SK-SK	WT78	Cast elbow	5"×90°×R257 SK-SK
WT70	Cast elbow	5"×30°×R240 SK-SK	WT79	Cast elbow	5"×90°×R260 SK-SK
WT71	Cast elbow	5"×30°×R270 SK-SK	WT80	Cast elbow	5"×90°×R340 SK-SK
WT72	Cast elbow	5"×30°×R315 SK-SK	WT81	Cast elbow	5"×90°×R375 SK-SK
WT73	Cast elbow	5"×45°×R275 SK-SK	WT82	Cast elbow	5"×45°×R275+170 SK-SK
WT74	Cast elbow	5"×60°×R232 SK-SK	WT83	Cast elbow	5"×45°×R275+411 SK-SK
WT75	Cast elbow	5"×90°×R180 SK-SK			



Reducer elbow



Twin-wall elbow

Parts No.	Name	Description
WT84	Reducer elbow	5"-4"×90° SK-SK
WT85	Reducer elbow	5"-3"×90° SK-SK
WT86	Reducer elbow	4"-3"×90° SK-SK

Parts No.	Name	Description
WT87	Twin-wall elbow	5"×30°×R275 SK-SK
WT88	Twin-wall elbow	5"×45°×R275 SK-SK
WT89	Twin-wall elbow	5"×90°×R275 SK-SK

Part 4 Concrete Pump Bend Pipe



Parts No.	Name	Description
WG90	Bend	DN125 5"×15°×R1000mm MF 125 5"
WG91	Bend	DN125 5"×30°×R1000mm MF 125 5"
WG92	Bend	DN125 5"×45°×R1000mm MF 125 5"
WG93	Bend	DN125 5"×60°×R1000mm MF 125 5"
WG94	Bend	DN125 5"×90°×R1000mm MF 125 5"



Parts No.	Name	Description
WG95	Bend	DN125 5"×15°×R1000mm ZX125 5"
WG96	Bend	DN125 5"×30°×R1000mm ZX125 5"
WG97	Bend	DN125 5"×45°×R1000mm ZX125 5"
WG98	Bend	DN125 5"×60°×R1000mm ZX125 5"
WG99	Bend	DN125 5"×90°×R1000mm ZX125 5"



Parts No.	Name	Description
WG100	Bend	DN100 4"×45°×R500mm SK 100 4-1/2"
WG101	Bend	DN100 4"×90°×R500mm SK 100 4-1/2"
WG102	Bend	DN100 4"×45°×R1000mm SK 100 4-1/2"
WG103	Bend	DN100 4"×90°×R1000mm SK 100 4-1/2"
WG104	Bend	DN125 5"×15°×R500mm SK 125 5-1/2"
WG105	Bend	DN125 5"×30°×R500mm SK 125 5-1/2"
WG106	Bend	DN125 5"×45°×R500mm SK 125 5-1/2"
WG107	Bend	DN125 5"×60°×R500mm SK 125 5-1/2"
WG108	Bend	DN125 5"×90°×R500mm SK 125 5-1/2"
WG109	Bend	DN125 5"×15°×R1000mm SK 125 5-1/2"
WG110	Bend	DN125 5"×30°×R1000mm SK 125 5-1/2"
WG111	Bend	DN125 5"×45°×R1000mm SK 125 5-1/2"
WG112	Bend	DN125 5"×60°×R1000mm SK 125 5-1/2"
WG113	Bend	DN125 5"×90°×R1000mm SK 125 5-1/2"



Parts No.	Name	Description
WG114	Bend	4"×90°×R457mm HD-HD
WG115	Bend	4"×45°×R457mm HD-HD
WG116	Bend	3"×90°×R406mm HD-HD
WG117	Bend	3"×45°×R406mm HD-HD
WG118	Bend	2.5"×90°×R406mm HD-HD
WG119	Bend	2.5"×45°×R406mm HD-HD
WG120	Bend	2"×90°×R406mm HD-HD
WG121	Bend	2"×45°×R406mm HD-HD
WG122	Bend	4"×45°×R343mm SK-SK
WG123	Bend	4"×90°×R343mm SK-SK
WG124	Bend	4"×90°×R275mm SK-SK

Part 5 Cleaning Ball



Parts No.	Name	Description	Parts No.	Name	Description
QXQ125	Cleaning ball	2" soft	QXQ136	Cleaning ball	4" hard
QXQ126	Cleaning ball	2" medium	QXQ137	Power plant cleaning ball	16mm,20mm,25mm
QXQ127	Cleaning ball	2" hard	QXQ138	Power plant cleaning ball	30mm,40mm
QXQ128	Cleaning ball	2.5" soft	QXQ139	Cleaning ball	5" soft
QXQ129	Cleaning ball	2.5" medium	QXQ140	Cleaning ball	5" medium
QXQ130	Cleaning ball	2.5" hard	QXQ141	Cleaning ball	5" hard
QXQ131	Cleaning ball	3" soft	QXQ142	Cleaning ball	6" soft
QXQ132	Cleaning ball	3" medium	QXQ143	Cleaning ball	6" medium
QXQ133	Cleaning ball	3" hard	QXQ144	Cleaning ball	6" hard
QXQ134	Cleaning ball	4" soft	QXZ145	Cleaning column	5"
QXQ135	Cleaning ball	4" medium	QXHS146	Cleaning piston	4"/5"

Part 6

Concrete Pump Reducer Pipe

Parts No.	Name	Description
BJG147	Reducer	6"-5"×600mm SK-SK
BJG148	Reducer	6"-5"×900mm SK-SK
BJG149	Reducer	6"-5"×1200mm SK-SK
BJG150	Reducer	5"-4"×600mm SK-SK
BJG151	Reducer	5"-4"×900mm SK-SK
BJG152	Reducer	5"-4"×1000mm SK-SK
BJG153	Reducer	5"-4"×1000mm MF-SK 127
BJG154	Reducer	5"-3"×600mm SK-SK
BJG155	Reducer	4"-3"×600mm SK-SK
BJG156	Reducer	4"-3"×900mm SK-SK
BJG157	Reducer	4"-3"×1200mm SK-SK
BJG158	Reducer	4"-2"×900mm SK-SK
BJG159	Reducer	4"-2"×1200mm SK-SK
BJG160	Reducer	3"-2"×600mm SK-SK
BJG161	Reducer	3"-2"×900mm SK-SK
BJG162	Reducer	2"-1.5"×381mm HD-HD
BJG163	Reducer	2.5"-2"×457mm HD-HD
BJG164	Reducer	2.5"-2"×914mm HD-HD



Parts No.	Name	Description
BJG165	Reducer	3"-2"×305mm HD-HD
BJG166	Reducer	3"-2"×711mm HD-HD
BJG167	Reducer	3"-2"×914mm HD-HD
BJG168	Reducer	3"-2.5"×914mm HD-HD
BJG169	Reducer	3"-2.5"×991mm HD-HD
BJG170	Reducer	4"-3"×914mm HD-HD
BJG171	Reducer	4"-3"×991mm HD-HD
BJG172	Reducer	4"-3.5"×381mm HD-HD
BJG173	Reducer	5"-4"×914mm HD-HD
BJG174	Reducer	5"-4"×914mm SK-HD
BJG175	Reducer	5"-4"×1346mm HD-HD

Part 7

Weld-on Collar



Parts NO.: FL176
Name: Ring
Description: MF 4"/5"/6"



Parts NO.: FL177
Name: Ring
Description: ZX 5"/6"



SK collar



HD collars

Parts No.	Name	Description
FL178	SK collar	4-1/2"
FL179	SK collar	5-1/2"
FL180	SK collar	6"

Parts No.	Name	Description	Parts No.	Name	Description
FL181	HD collar	1.5" HD	FL184	HD collar	3" HD
FL182	HD collar	2" HD	FL185	HD collar	4" HD
FL183	HD collar	2.5" HD	FL186	HD collar	5" HD

Part 8 Concrete Pump Clamp



SK-SYSTEM

Fitted for the connection of the delivery boom pipes, the seal inside permits easy link rotations. This is standard connection for all kinds of concrete pumps.



2 1/2" Snap Clamp



3"/3.25" Snap Clamp



4"/4.5" Snap Clamp



5.5" Snap Clamp



5.5" Snap Mounting



5.5" Bolt Clamp



5.5" Two Bolt Clamp With Base




5.5" Long Bolt Clamp



5.5" Bolt Clamp With Base



5.5" Two Bolt Clamp



MF-SYSTEM

This type confers a firm and tight connection to the auxiliary ground line pipes, joining fitted for the high pressure delivery pipes of SCHWING concrete pumps.




MF 4" Wedge Clamp



MF 5" Wedge Clamp



MF 6" Wedge Clamp



ZX-SYSTEM

This type of joining allows long distance concrete pumping through special high pressure pipes, fitted for the high pressure delivery pipes of PUTZMEISTER concrete pumps.




ZX 5" Bolt Clamp



ZX 6" Bolt Clamp



ZX 6" Wedge Clamp



HD-SYSTEM
Specially fitted for USA standard high pressure concrete delivery line



2"/2.5"HD Clamp



3 3/4"HD Clamp



5"HD Clamp



5"HD Bolt Clamp

Part 9 Rubber Gasket



Parts NO.: JQ187
Name: 3 lips gasket
Description: DN125 5-1/2"



Parts NO.: JQ188
Name: Oxford gasket
Description: DN125 5-1/2"



Parts NO.: JQ189
Name: PU gasket
Description: DN125 5-1/2"



Gasket

Parts No.	Name	Description
JQ190	Gasket	DN50 2"
JQ191	Gasket	DN75 3"
JQ192	Gasket	DN80 3-1/4"
JQ193	Gasket	DN100 4"
JQ194	Gasket	DN100 4-1/2"
JQ195	Gasket	DN100 4-1/2" 122mm
JQ196	Gasket	DN125 5-1/2"
JQ197	Gasket	DN150 6-1/2"
JQ198	Gasket	DN175 7-1/2"
JQ199	Gasket	DN200 8-1/2"



Gasket

Parts No.	Name	Description
JQ200	Gasket	1.5" HD
JQ201	Gasket	2" HD
JQ202	Gasket	2.5" HD
JQ203	Gasket	3" HD
JQ204	Gasket	4" HD
JQ205	Gasket	5" HD



D-ring

Parts No.	Name	Description
JQ206	D-ring	MF100 4"
JQ207	D-ring	MF125 5"
JQ208	D-ring	MF150 6"
JQ209	D-ring	MF180 7"



O-ring

Parts No.	Name	Description
JQ210	O-ring	ZX 125 5"
JQ211	O-ring	ZX 150 6"

Part 10

Delivery Cylinder



Technical parameter for the concrete conveying cylinder

Thickness of the chromium layer: 0.25mm-0.3mm
Hardness of the chromium layer: > HV900 HRC≥64
Roughness of the internal hole surface: < Ra0.2
Deviation for the straightness of the internal hole: < 0.02mm/1000mm
Deviation for the cylindrical form of the internal hole: < 0.02mm

Product specification

Cylinder diameter: Φ100mm-Φ400mm
Length: Manufactured according to customer request

Service commitment

Excellent product + careful use and maintenance
Consumer quantity 80000-100000m³

Parts No.	Name	Description	Parts No.	Name	Description
TG212	Schwing Conveying Cylinder BP550	Φ180×1520	TG232	Kyokuto Conveying Cylinder	Φ225×1768
TG213	Schwing Conveying Cylinder	Φ180×1600	TG233	IHI Conveying Cylinder	Φ180×1150
TG214	Schwing Conveying Cylinder	Φ180×2000	TG234	IHI Conveying Cylinder	Φ220×1600
TG215	Schwing Conveying Cylinder	Φ200×1600	TG235	IHI Conveying Cylinder	Φ220×1800
TG216	Schwing Conveying Cylinder	Φ200×2000	TG236	Sany Conveying Cylinder	Φ200×1746
TG217	Schwing Conveying Cylinder	Φ230×2000	TG237	Sany Conveying Cylinder	Φ200×1946
TG218	Schwing Conveying Cylinder	Φ250×2400	TG238	Sany Conveying Cylinder	Φ230×1746
TG219	Putzmeister Conveying Cylinder	Φ200×1400	TG239	Sany Conveying Cylinder	Φ230×2146
TG220	Putzmeister Conveying Cylinder	Φ200×2100	TG240	Sany Conveying Cylinder	Φ260×2045
TG221	Putzmeister Conveying Cylinder	Φ230×1400	TG241	Sany Conveying Cylinder	Φ260×2145
TG222	Putzmeister Conveying Cylinder	Φ230×2100	TG242	Sany Conveying Cylinder	Φ260×2245
TG223	Putzmeister Conveying Cylinder	Φ250×2100	TG243	Sany Conveying Cylinder	Φ260×2345
TG224	Putzmeister Conveying Cylinder	Φ250×2500	TG244	Zoomlion Conveying Cylinder	Φ180×1405
TG225	Kyokuto Conveying Cylinder	Φ180×1700	TG245	Zoomlion Conveying Cylinder	Φ180×1605
TG226	Kyokuto Conveying Cylinder	Φ205×1150	TG246	Zoomlion Conveying Cylinder	Φ180×2306
TG227	Kyokuto Conveying Cylinder	Φ205×1600	TG247	Zoomlion Conveying Cylinder	Φ200×1800
TG228	Kyokuto Conveying Cylinder	Φ205×1650	TG248	Zoomlion Conveying Cylinder	Φ200×1960
TG229	Kyokuto Conveying Cylinder	Φ205×1700	TG249	Zoomlion Conveying Cylinder	Φ230×1800
TG230	Kyokuto Conveying Cylinder	Φ225×1600	TG250	Zoomlion Conveying Cylinder	Φ230×2250
TG231	Kyokuto Conveying Cylinder	Φ225×1650	TG251	Zoomlion Conveying Cylinder	Φ260×2250

P art 11

Concrete Pump Piston



Parts No.	Name	Description
HS252	Putzmeister Piston Ram	Φ200
HS253	Putzmeister Piston Ram	Φ230



Parts No.	Name	Description
HS254	Putzmeister seal Piston with guide ring	Φ180
HS255	Putzmeister seal Piston with guide ring	Φ200
HS256	Putzmeister seal Piston with guide ring	Φ230
HS257	Putzmeister seal Piston with guide ring	Φ250



Parts No.	Name	Description
HS258	IHI Piston	Φ205
HS259	IHI Piston	Φ220



Parts No.	Name	Description
HS260	Sermac Piston Ram	Φ200
HS261	Sermac Piston Ram	Φ230



Parts No.	Name	Description
HS262	Niigata Piston	Φ190
HS263	Niigata Piston	Φ210



Parts No.	Name	Description
HS264	Kyokuto Piston	Φ205
HS265	Kyokuto Piston	Φ225
HS266	Kyokuto Piston	Φ230

Parts No.	Name	Description
HS267	Schwing Piston Ram	Φ180 BP550
HS268	Schwing Piston Ram	Φ200 BP2000
HS269	Schwing Piston Ram	Φ200
HS270	Schwing Piston Ram	Φ230
HS271	Schwing Piston Ram	Φ250
HS272	Schwing seal Piston with guide ring	Φ180 BP4000
HS273	Schwing seal Piston with guide ring	Φ200 BP3500

Part 12 S-Valve

PRODUCT ADVANTAGES

· Sliding Abrasion · Blast jet wear · Impact stress · Flow abrasion · Good value

Concrete Pump S-valve for Putzmeister

Application	Available for Putzmeister concrete pump
Type	Concrete Pump S-valve
Material	Welded pipe 16Mn, Shaft 38 CrMoAlI, #45 steel, Hardfacing for pipe inner wall
Lifetime	≥50,000cbm based on different type
Carbide HRC	≥60
Process	Molding+Bead Welding+Welding
Wall Thickness	12mm(Pipe)+4mm(Bead Welding Layer)



Concrete Pump S-valve for Sany

Application	Available for Sany concrete pump
Type	Concrete Pump S-valve
Material	Welded pipe 16Mn, Shaft 38 CrMoAL, #45 steel, Hardfacing for pipe inner wall
Lifetime	≥40,000cbm based on different type
Carbide HRC	≥60
Process	Molding+Bead Welding+Welding
Wall Thickness	12mm(Pipe)+4mm(Bead Welding Layer)

Concrete Pump S-valve for Zoomlion

Application	Available for Zoomlion concrete pump
Type	Concrete Pump S-valve
Material	Welded pipe 16Mn, Shaft 38 CrMoAL, #45 steel, Hardfacing for pipe inner wall
Lifetime	≥50,000cbm based on different type
Carbide HRC	≥60
Process	Molding+Bead Welding+Welding
Wall Thickness	12mm(Pipe)+4mm(Bead Welding Layer)



Concrete Pump S-valve for mortar pump

Application	Available for mortar pump
Type	Concrete Pump S-valve
Material	Welded pipe 16Mn, Shaft 38 CrMoAL, #45 steel, Hardfacing for pipe inner wall
Lifetime	≥40,000cbm based on different type
Carbide HRC	≥60
Process	Molding+Bead Welding+Welding
Wall Thickness	12mm(Pipe)+4mm(Bead Welding Layer)

Part 13 Wear Plate And Cutting Ring



Wear plate for Kyokuto

Type	DN205, DN225(Wear-resistant castings), Hardfacing, Tungsten Carbide, 7 shape Tungsten Carbide				
Material	Tungsten carbide, Q235B steel, VAUTID-150 electrode imported from Germany				
Lifetime	30,000-80,000cbm based on different type				
Carbide HRC	≥80	Process	> 63	Tensile strength	> 2500N/mm ²

Wear plate for Zoomlion

Type	DN180, DN200, DN230, DN260(Wear-resistant castings)
Material	Tungsten carbide Body S35C steel electrode from Germany
Lifetime	≥50,000cbm
Carbide HRC	≥80
Process	>63
Tensile strength	≥2500 N/mm ²



Wear plate for Sany

Type	DN200, DN230, DN260(Wear-resistant castings)
Material	Tungsten carbide Body S35C steel, VAUTID-150 electrode from Germany
Lifetime	30,000-80,000cbm
Carbide HRC	≥80
Tensile strength	> 2500 N/mm ²

Wear plate for Putzmeister

Type	DN180, DN200, DN220, DN230(Wear-resistant castings), Hard-facing, Tungsten Carbide, 7 shape Tungsten Carbide				
Material	Tungsten carbide, Q235B steel, VAUTID-150 electrode imported from Germany				
Lifetime	30,000-80,000cbm based on different type				
Carbide HRC	≥80	Process	> 63	Tensile strength	> 2500N/mm ²



Wear plate for CIFA

Type	DN180, DN200, DN230(Wear-resistant castings), Hard-facing, Tungsten Carbide, 7 shape Tungsten Carbide				
Material	Tungsten carbide, Q235B steel, VAUTID-150 electrode imported from Germany				
Lifetime	30,000-80,000cbm based on different type				
Carbide HRC	≥80	Process	> 63	Tensile strength	> 2500N/mm ²

Wear plate for IHI

Type	DN205, DN220(Wear-resistant castings)
Material	Tungsten carbide Body S35C steel, VAUTID-150 electrode imported from Germany
Lifetime	30,000-80,000cbm
Carbide HRC	≥80
Tensile strength	> 2500 N/mm ²



Part 14

Spare Parts For Schwing



Parts NO.: 10074769
 Name: Base Plate DN200/DN230



Parts NO.: 10059467
 Name: Rock DN210/180



Parts NO.: 10018071
 Name: Slewing Lever DN210/180



Parts NO.: 10064073
 Name: KVM37 Slewing Shaft



Parts NO.: 10029138
 Name: Kidney Sealing DN180



Parts NO.: 10018046
 Name: Housing Lining DN180



Parts NO.: 10018047
 Name: Bearing Bush



Parts NO.: 10180090
 Name: S42SX Slewing Shaft



Parts NO.: 10018037
 Name: Bearing Bush D95/108x70



Parts NO.: 10118218
 Name: Slewing Pivot



Parts NO.: 10161754
 Name: Piston Ram DN200



Parts NO.: 10161634
 Name: Piston Ram DN230



Parts NO.: 10161980
 Name: Piston Ram DN250



Parts NO.: 10074767
 Name: Wearing Insert DN200



Parts NO.: 10181938
 Name: Wearing Indert DN250

P art 15

Spare Parts For Putzmeister



Parts NO.: 249304004
 Name: Thrust ring DN180



Parts NO.: 252898002
 Name: Thrust ring DN200



Parts NO.: 269520004
 Name: Thrust ring DN230



Parts NO.: 228383004
 Name: Wear sleeve



Parts NO.: 240391003
 Name: Outer housing



Parts NO.: 274893001
 Name: Compl.upper housing ass.



Parts NO.: 274889002
 Name: Support flange



Parts NO.: 274884007
 Name: Wear sleeve



Parts NO.: 274877001
 Name: Swinging lever
 (big mouth)



Parts NO.: 254424005
 Name: Swinging lever
 (small mouth)



Parts NO.: 256300004
 Name: Ball cup



Parts NO.: C40224400
 Name: Plunger cylinder
 160-80



Parts NO.: 262840008
 Name: Plunger cylinder
 160-60



Parts NO.: 275587002
 Name: Mixer shaft,
 exterior part



Parts NO.: 242574006
 Name: Rubber disc



Parts NO.: 242573007
 Name: Bearing flange



Parts NO.: 222484006
 Name: Bush



Parts NO.: 240390004
 Name: Outer housing
 gasket set



Parts NO.: 238130001
 Name: Hydraulic motor



Parts NO.: 080372004
 Name: Delivery piston seal