

*Luxe-group*  
璐克斯集团



# Guillemin couplings

Industrial Couplings

 *Luxe-group*  
Manufacture



<http://www.Luxe-group.cn>  
[LUXE@LUXE-group.cn](mailto:LUXE@LUXE-group.cn)

Luxe-group  
璐克斯集团



我们正在为做流体技术行业典范而努力。  
We are becoming the modle of Fluid Technclogy.



18

Add: G320 New Century Industrial Park, Gao' an, City, Jiangxi, 330800 China  
<http://www.Luxe-group.cn> [Luxe@Luxe-group.cn](mailto:Luxe@Luxe-group.cn) Tel:0086-795-7066681 Fax:0086-795-7066682



我们正在为做流体技术行业典范而努力。  
We are becoming the modle of Fluid Technclogy.



Luxe-group  
璐克斯集团



## Guillemin couplings


EN14420-8/NF E 29-572

Stainless steel by Investment casting  
Brass by forging  
Aluminium by gravity casting  
Polypropylene  
SIZE:DN15-DN150



Add: G320 New Century Industrial Park, Gao' an, City, Jiangxi, 330800 China  
<http://www.Luxe-group.cn> [Luxe@Luxe-group.cn](mailto:Luxe@Luxe-group.cn) Tel:0086-795-7066681 Fax:0086-795-7066682


19



我们正在为做流体技术行业典范而努力。  
We are becoming the modle of Fluid Technclogy.



Luxe-group  
璐克斯集团



Add: G320 New Century Industrial Park, Gao' an, City, Jiangxi, 330800 China  
<http://www.Luxe-group.cn> [Luxe@Luxe-group.cn](mailto:Luxe@Luxe-group.cn) Tel:0086-795-7066681 Fax:0086-795-7066682



Guillemin Couplings

Hose end with collar

Standard  
Materials


EN14420-8/NF E29-572  
Brass CW617N Stainless steel Aluminum Polypropylene



Name	Size	Code	Weight	Price	D	H	Material
DN15-20	1/2"	L0209124	0.076		20	65	SS
DN20-25	3/4"	L0209128	0.124				SS
DN25-25	1"	L0209131					SS
DN25-30	1"	L0209134	0.175		30	75	SS
DN32-32	1 1/4"	L0209138					SS
DN32-35/34	1 1/4"	L0209141	0.17		34	78	SS
DN40-40	1 1/2"	L0209084	0.383		40	98.4	SS
DN40-45	1 1/2"	L0209146	0.346				SS
DN50-51	2"	L0209098	0.930		50.5	125.15	SS
DN50-55	2"	L0209152	0.870				SS
DN65-65	2 1/2"	L0209025	1.050		65	113.5	SS
DN65-70	2 1/2"	L0209158	1.100		70	113.5	SS
DN80-76	3"	L0209091	2.270		76	160.25	SS
DN80-80	3"	L0209090	2.280		80	158.5	SS
DN80-90	3"	L0209164	2.040				SS
DN100-100	4"	L0209167	3.31				SS
DN100-102	4"	L0209099	2.233		102	179	SS
DN100-105	4"	L0209172					SS
DN100-110	4"	L0209175	2.240		110	164	SS
DN125-125	5"	L0209179					SS
DN150-152	6"	L0209183	5.300		152	240	SS
DN25-25	1"	L0209132					BR
DN25-30	1"	L0209136					BR
DN32-32	1 1/4"	L0209139					BR
DN32-35	1 1/4"	L0209142					BR
DN40-40	1 1/2"	L0209144					BR
DN40-45	1 1/2"	L0209148					BR
DN50-51	2"	L0209150			50.8	124.75	BR
DN50-55	2"	L0209154					BR
DN65-65	2 1/2"	L0209156					BR
DN65-70	2 1/2"	L0209159					BR
DN80-76	3"	L0209161					BR
DN80-80	3"	L0209162					BR
DN80-90	3"	L0209165					BR
DN100-100	4"	L0209168					BR
DN100-102	4"	L0209170					BR
DN100-105	4"	L0209173					BR
DN100-110	4"	L0209177					BR



我们正在为做流体技术行业典范而努力。  
We are becoming the modle of Fluid Technclogy.



4	3"法式卡环	304	1					
3	3"法式平垫密封圈	海帕伦 (Hypalon)	1					
2	FR80SS (3"转动环)	1.4408	1	0214008-1				
1	FE80-75.5mm (3"法式75.5mm带槽带齿)	1.4408	1	0209096-1				

NO. 编号	Part Name 名称	Mat'l 材质	QTY 数量	DWG NO. 图号	Size 尺寸	WT 重量	Client Part No. 顾客零件号	Remark 备注
				DWG No. 图号	L0209096(组装图)		Version 版本	A/0
				Part Name 品名	FE80-75.5mm (3"法式75.5mm带槽带齿)		Mat'l 材质	1.4408
Rev. 版本号	Mark 标记	Qty 处数	Modified contents 更改内容	Signature 签名	Date 日期	Client Part No. 顾客零件号	5103348	
Undimensioned Tolerance 未标注尺寸公差表				DRAWN 制图	胡建豹	2015.12.14	WT 重量	
				CHECKED 审核			 <a href="http://www.luxecasting.com">http://www.luxecasting.com</a> <a href="mailto:luxecasting@luxecasting.com">luxecasting@luxecasting.com</a>	
				APPROVED 批准				
Dim. 尺寸				SCALE 比例	1:1	UNT 单位	mm	A4
Tol. 公差								



Add: G320 New Century Industrial Park, Gao' an, City, Jiangxi, 330800 China  
<http://www.Luxe-group.cn> [Luxe@Luxe-group.cn](mailto:Luxe@Luxe-group.cn) Tel:0086-795-7066681 Fax:0086-795-7066682



Guillemin Couplings

Hose end with collar

Standard  
Materials

EN14420-8/NF E29-572

Brass CW617N Stainless steel Aluminum Polypropylene



Standard Materials	EN14420-8/NF E29-572	Brass CW617N	Stainless steel	Aluminum	Polypropylene	
DN15-20	1/2"	L0209125			AL	
DN20-20	3/4"	0209194-1		20	79.5	AL
DN20-25	3/4"	L0209033	0.078	25.2	79.5	AL
DN25-25	1"	L0209032	0.095			AL
DN25-30	1"	L0209135	0.120			AL
DN32-32	1 1/4"	L0209030	0.121			AL
DN32-35	1 1/4"	L0209045		35	86.5	AL
DN40-40	1 1/2"	L0209072	0.170	40	101.5	AL
DN40-45	1 1/2"	L0209147	0.251	45	100.5	AL
DN50-51	2"	L0209017	0.330	50.5	125.15	AL
DN50-55	2"	L0209153	0.380	55	115.15	AL
DN65-65	2 1/2"	L0209071	0.411			AL
DN65-70	2 1/2"	L0209039	0.600	70	133.5	AL
DN80-76	3"	L0209015	0.770	76	160.25	AL
DN80-80	3"	L0209028	0.790	80	160.25	AL
DN80-90	3"	L0209058	0.850	89.5	169.25	AL
DN100-100	4"	L0209022	1.330	100	191.75	AL
DN100-102	4"	L0209037	1.518			AL
DN100-105	4"	L0209051	1.030	105	180.75	AL
DN100-110	4"	L0209176	1.260	110	167.75	AL
DN125-125	5"	L0209180				AL
DN150-152	6"	L0209184		152	241	AL
DN15-20	1/2"					PP
DN20-25	3/4"					PP
DN25-25	1"	L0209133				PP
DN25-30	1"	L0209137				PP
DN32-32	1 1/4"	L0209140				PP
DN32-35	1 1/4"	L0209143				PP
DN40-40	1 1/2"	L0209145				PP
DN40-45	1 1/2"	L0209149				PP
DN50-51	2"	L0209151				PP
DN50-55	2"	L0209155				PP
DN65-65	2 1/2"	L0209157				PP
DN65-70	2 1/2"	L0209160				PP
DN80-76	3"	L0209050				PP
DN80-80	3"	L0209163				PP
DN80-90	3"	L0209166				PP
DN100-100	4"	L0209169				PP
DN100-102	4"	L0209171				PP
DN100-105	4"	L0209174				PP
DN100-110	4"	L0209178				PP




我们正在为做流体技术行业典范而努力。  
We are becoming the modle of Fluid Technology.



Luxe-group  
璐克斯集团

Guillemin Couplings



Add: G320 New Century Industrial Park, Gao' an, City, Jiangxi, 330800 China  
<http://www.Luxe-group.cn> [Luxe@Luxe-group.cn](mailto:Luxe@Luxe-group.cn) Tel:0086-795-7066681 Fax:0086-795-7066682

25



Guillemin Couplings

FEMALE with locking ring

Standard  
Materials

EN14420-8/NFE29572

Brass CW617N Stainless steel Aluminum Polypropylene



Name	Size	Code	Weight	Price	D	H	Material
DN15	1/2"	L0201001					SS
DN20	3/4"	L0201057	0.14		3/4"	53	SS
DN25	1"	L0201056	0.22		1"		SS
DN32	1 1/4"	L0201004	0.29				SS
DN40	1 1/2"	L0201046	0.60				SS
DN50	2"	L0201034	0.78		2"	62	SS
DN65	2 1/2"	L0201051	1.24		2 1/2"	104.5	SS
DN80	3"	L0201050	1.65		3"	103.25	SS
DN100	4"	L0201053	3.07		4"	119	SS
DN150	6"	L0201025			6"	164.5	SS
DN25	1"	L0201085					BR
DN32	1 1/4"	L0201087					BR
DN40	1 1/2"	L0201089			1 1/2"	65.7	BR
DN50	2"	L0201022	0.73		2"	87.15	BR
DN65	2 1/2"	L0201090					BR
DN80	3"	L0201023	1.39		3"	103.25	BR
DN100	4"	L0201024			4"	124.25	BR
DN150	6"						BR
DN15	1/2"						AL
DN20	3/4"				3/4"	68	AL
DN25	1"				1"	55.5	AL
DN32	1 1/4"				1 1/4"	59	AL
DN40	1 1/2"	L0201037	0.41		1 1/2"	87	AL
DN50	2"	L0201014	0.45		2"	88	AL
DN65	2 1/2"	L0201013	0.47				AL
DN80	3"	L0201012	0.65				AL
DN100	4"	L020103	1.05		4"	119.5	AL
DN150	6"	L0201011	3.15		6"	165.5	AL
DN25	1"	L0201086					PP
DN32	1 1/4"	L0201088					PP
DN40	1 1/2"	L0201026					PP
DN50	2"	L0201027					PP
DN65	2 1/2"	L0201091					PP
DN80	3"	L0201028					PP
DN100	4"	L0201092					PP



我们正在为做流体技术行业典范而努力。  
We are becoming the modle of Fluid Technology.



Guillemin Couplings

MALE with locking ring

Standard EN14420-8/NFE29572  
Materials Brass CW617N Stainless steel Aluminum Polypropylene

Name	Size	Code	Weight	Price	D	H	Material
DN15	1/2"	L0202007			1/2"	45	SS
DN20	3/4"	L0202001	0.14				SS
DN25	1"	L0202003	0.21				SS
DN32	1 1/4"	L0202004	0.29				SS
DN40	1 1/2"	L0202006	0.41		1 1/2"	62	SS
DN50	2"	L0202013	0.65		2"	82	SS
DN65	2 1/2"	L0202011	0.91		2 1/2"	78.5/82.5	SS
DN80	3"	L0202008	1.37				SS
DN100	4"	L0202016	2.38		4"	94	SS
DN150	6"	L0202028			6"	165.5	SS
DN25	1"						BR
DN32	1 1/4"						BR
DN40	1 1/2"						BR
DN50	2"				2"	87.15	BR
DN65	2 1/2"	L0202024	0.65				BR
DN80	3"				3"	103.25	BR
DN100	4"	L0202025	1.37		4"	109.25	BR
DN20	3/4"	L0202020	0.06		3/4"	56	AL
DN25	1"	L0202018	0.07		1"	60.5	AL
DN32	1 1/4"	L0202019	0.08		1 1/4"	58	AL
DN40	1 1/2"	L0202017	0.16		1 1/2"	69	AL
DN50	2"	L0202021	0.30		2"	88	AL
DN65	2 1/2"	L0202015	0.47		2 1/2"	89.5	AL
DN80	3"	L0202010	0.61		3"	94.25	AL
DN100	4"	L0202022	0.87		4"	107.5	AL
DN150	6"	L0202009	3.15		6"	165.5	AL
DN25	1"						PP
DN32	1 1/4"						PP
DN40	1 1/2"	L0202029					PP
DN50	2"						PP
DN65	2 1/2"	L0202030					PP
DN80	3"						PP
DN100	4"	L0202031					PP



Guillemin Couplings





Guillemin Couplings

FEMALE without locking ring

Standard  
Materials

EN14420-8/NFE29572  
Brass CW617N Stainless steel AISI 316 / 1.4408 Aluminum



Name	Size	Code	Weight	Price	D	H	Material
DN15	1/2"	L0204001			1/2"	25	SS
DN20	3/4"	L0204002	0.07				SS
DN25	1"	L0204003	0.06		1"	38	SS
DN32	1 1/4"	L0204004	0.12		1 1/4"	46	SS
DN40	1 1/2"	L0204005	0.38		1 1/2"	40.5	SS
DN50	2"	L0204006	0.31		2"	47.5	SS
DN65	2 1/2"	L0204007	0.35		2 1/2"	48	SS
DN80	3"	L0204008	0.75		3"	56.5	SS
DN100	4"	L0204009	0.89		4"	62.5	SS
DN25	1"						BR
DN32	1 1/4"						BR
DN40	1 1/2"						BR
DN50	2"	L0204012	0.31		2"	54.5	BR
DN65	2 1/2"						BR
DN80	3"	L0204013	0.75		3"	77.5	BR
DN100	4"						BR
DN15	1/2"						AL
DN20	3/4"	L0204014	0.02		3/4"	54.5	AL
Dn25	1"	L0204015	0.03		1"	59	AL
DN32	1 1/4"	L0204016	0.09		1 1/4"	59	AL
DN40	1 1/2"	L0204017	0.14				AL
DN50	2"	L0204018	0.23		2"	49	AL
DN65	2 1/2"	L0204011	0.35		2 1/2"	49	AL
DN80	3"	L0204010	0.40		3"	56	AL
DN100	4"	L0204019	0.41		4"	58	AL



我们正在为做流体技术行业典范而努力。  
We are becoming the modle of Fluid Technology.



**Guillemin Couplings MALE without locking ring**

Standard EN14420-8/NFE29572  
Materials Brass CW617N Stainless steel AISI 316 / 1.4408 Aluminum

Name	Size	Code	Weight	Price	D	H	Material
DN15	1/2"	L0203001			1/2"	33	SS
DN20	3/4"	L0203002	0.09				SS
DN25	1"	L0203003	0.11		1"	38	SS
DN32	1 1/4"	L0203004	0.24		1 1/4"	44.5	SS
DN40	1 1/2"	L0203005	0.26		1 1/2"	57.5	SS
DN50	2"	L0203006	0.46		2"	67.75	SS
DN65	2 1/2"	L0203007	0.64		2 1/2"	69	SS
DN80	3"	L0203008	0.96		3"	76	SS
DN100	4"	L0203009	1.89		4"	84.5	SS
DN25	1"						BR
DN32	1 1/4"						BR
DN40	1 1/2"						BR
DN50	2"	L0203012	0.46		2"	67.75	BR
DN65	2 1/2"						BR
DN80	3"	L0203013	0.96		3"	77.5	BR
DN100	4"						BR
DN15	1/2"						AL
DN20	3/4"	L0203015	0.03		3/4"	42.5	AL
Dn25	1"	L0203016	0.04		1"	45.5	AL
DN32	1 1/4"	L0203017	0.08		1 1/4"	48	AL
DN40	1 1/2"	L0203018	0.12		1 1/2"	57	AL
DN50	2"	L0203010	0.15		2"	67.75	AL
DN65	2 1/2"	L0203011	0.23		2 1/2"	69.5	AL
DN80	3"	L0203014	0.46		3"	76.5	AL
DN100	4"	L0203019	0.64				AL



Guillemin Couplings








Guillemin Couplings

Cap without locking ring

Standard  
Materials

EN14420-8/NFE29572  
Stainless steel AISI 316 / 1.4408 Aluminum Polypropylene



Name	Size	Code	Weight	Price	D	H	Material
DN40	1 1/2"	L0220009	0.11		61	35.8	SS
DN50	3/4"	L0220007	0.23		78	36	SS
DN65	2 1/2"	L0220010	0.32		92	42	SS
DN80	3"	L0220001	0.43		112	44	SS
DN100	4"	L0220008	0.81		132.5	49.5	SS
DN40	1 1/2"	L0220004			61	35.8	PP
DN50	2"	L0220002	0.04		78	36	PP
DN65	2 1/2"	L0220006			92	42	PP
DN80	3"	L0220005			112	44	PP
DN100	4"	L0220003			132.5	49.5	PP
DN40	1 1/2"	L0220022					AL
DN50	2"	L0220023					AL
DN65	2 1/2"	L0220020					AL
DN80	3"	L0220016					AL
DN100	4"	L0220021					AL

Guillemin Couplings

Blank cap with handle

Standard  
Materials

EN14420-8/NFE29572  
Aluminum



Name	Size	Code	Weight	Price	D	H	Material
DN40	1 1/2"						AL
DN50	2"	L0220011					AL
DN65	2 1/2"						AL
DN80	3"	L0220012			101	67.75	AL
DN100	4"	L0220013					AL




我们正在为做流体技术行业典范而努力。  
We are becoming the modle of Fluid Technology.



Guillemin Couplings

**Guillemin Couplings** **Guillemin cap with ring**

Standard EN14420-8/NFE29572  
Materials Aluminum Stainless steel AISI 316 / 1.4408



Name	Size	Code	Weight	Price	D	H	Material
DN15	1/2"	L0215001			25	32	SS
DN20	3/4"	L0215002	0.11		31	39.5	SS
DN25	1"	L0215003	0.14		36.5	33.48	SS
DN32	1 1/4"	L0215004	0.21		41.5	35.17	SS
DN40	1 1/2"	L0215005	0.29		48.5	54	SS
DN50	2"	L0215006	0.60		68	51.5	SS
DN65	2 1/2"	L0215007	0.76		55	83	SS
DN80	3"	L0215008	1.26		101	65	SS
DN100	4"	L0215009	1.68		68.25	121	SS
DN150	6"	L0215012			190	107.2	SS
DN15	1/2"				25	32	AL
DN20	3/4"				31	39.5	AL
DN25	1"	L0215023			36.5	33.48	AL
DN32	1 1/4"	L0215016			41.5	35.17	AL
DN40	1 1/2"	L0215024	0.07		48.5	54	AL
DN50	2"	L0215013	0.24		68	51.5	AL
DN65	2 1/2"	L0215021	0.31		55	83	AL
DN80	3"	L0215020	0.46		101	65	AL
DN100	4"	L0215017	0.71		68.25	121	AL
DN150	6"	L0215025	2.61		190	107.2	AL





with composite hose end

Guillemin Couplings

Male thread with helical shank

Standard  
Materials

EN14420-8/NFE29572

Brass CW617N Stainless steel AISI 316 / 1.4408 Aluminum

Name	Size	Code	Weight	Price	D	H	Material
DN15	1/2"	L0211028					SS
DN20	3/4"	L0211029					SS
DN25	1"	L0211017	0.240		26	81.5	SS
DN32	1 1/4"	L0211002	0.350				SS
DN40	1 1/2"	L0211003	0.600		41	100	SS
DN50	2"	L0211006	0.850		51	113	SS
DN65	2 1/2"	L0211004	1.232		66.5	130	SS
DN80	3"	L0211005	1.928		81.5	144	SS
DN100	4"	L0211007	3.000				SS
DN15	1/2"	L0211026					AL
DN20	3/4"	L0211027					AL
DN25	1"	L0211019	0.093				AL
DN32	1 1/4"	L0211021					AL
DN40	1 1/2"	L0211020	0.193				AL
DN50	2"	L0211011	0.288				AL
DN65	2 1/2"	L0211015	0.450				AL
DN80	3"	L0211009	0.636				AL
DN100	4"	L0211014	1.300				AL
DN25	1"						BR
DN32	1 1/4"						BR
DN40	1 1/2"						BR
DN50	2"	L0211012					BR
DN65	2 1/2"						BR
DN80	3"	L0211013					BR
DN100	4"						BR

Guillemin Couplings

Welding BW with helical shank

Standard  
Materials

EN14420-8/NFE29572

Stainless steel AISI 316 / 1.4408



Name	Size	Code	Weight	Price	D	H	Material
DN15	1/2"	L0212009					SS
DN20	3/4"	L0212010					SS
DN25	1"	L0212001	0.160		27.3	69	SS
DN32	1 1/4"	L0212002					SS
DN40	1 1/2"	L0212003	0.260				SS
DN50	2"	L0212004	0.560				SS
DN65	2 1/2"	L0212005					SS
DN80	3"	L0212006	1.130		81.5	144.75	SS
DN100	4"	L0212007	1.951				SS



我们正在为做流体技术行业典范而努力。  
We are becoming the modle of Fluid Technclogy.



Guillemin Couplings

Guillemin Couplings


Guilemin with helical shank

Standard EN14420-8/NFE29572  
Materials Stainless steel AISI 316 / 1.4408 Aluninum

Name	Size	Code	Weight	Price	D	H	Material
DN20	3/4"	L0210027					SS
DN25	1"	L0210001	0.268		26	100.25	SS
DN32	1 1/4"	L0210002	0.291				SS
DN40	1 1/2"	L0210003	0.465				SS
DN50	2"	L0210004	0.817		52.5	152.25	SS
DN65	2 1/2"	L0210014	1.110				SS
DN80	3"	L0210011	1.986		81.5	175	SS
DN100	4"	L0210010	3.290				SS
DN20	3/4"	L0210028					AL
DN25	1"	L0210015					AL
DN32	1 1/4"	L0210016					AL
DN40	1 1/2"	L0210017					AL
DN50	2"	L0210018					AL
DN65	2 1/2"	L0210019	0.622				AL
DN80	3"	L0210013	0.931				AL
DN100	4"	L0210020	1.416				AL



with composite hose end




4	4"法式卡环	1.4310	1	0218001-9				
3	4"法式半垫	hysalon	1	0216007				
2	FR100(4"法式转动环)	304	1	0214040				
1	FH100ASS(4"法式螺旋尾管)	1.4408	1	0210029				
NO编号	Part Name名称	Mat'1材质	QTY数量	DWG No. 图号	Size尺寸	WT重量	Client Part No. 顾客零件号	Remark 备注
					L0210029 (装配图)		Version 版本	A/0
					Part Name 品名		Mat1材质	1.4408
Rev. 版本号	Mark标记	Qty数量	Modi Mod 更改	contents 更改内容	Signature 签名	Date 日期	Client Part No. 顾客零件号	WT重量
					胡建豹	2016.08.16	5101606	
Undimensioned Tolerance 未标注尺寸公差表				DRAWN 制图				
				CHECKED 审核				
				APPROVED 批准				
				SCALE 比例				
Dim. 尺寸								
Tol. 公差					<a href="http://www.luxecasting.com">http://www.luxecasting.com</a>			



Add: G320 New Century Industrial Park, Gao' an, City, Jiangxi, 330800 China  
<http://www.Luxe-group.cn> [Luxe@Luxe-group.cn](mailto:Luxe@Luxe-group.cn) Tel:0086-795-7066681 Fax:0086-795-7066682





8	2.5"法式卡环	1.4310	1	0218001					
7	3"法式卡环	1.4310	1	0218001					
6	2.5"法式平垫	hypalon	1	0216005					
5	3"法式平垫	hypalon	1	0216006					
4	FR65A(2.5"转动环)	304	1	0214039					
3	FR80A(3"转动环)	304	1	0214008					
2	FM65A配DN80-65异径专用	1.4408	1						
1	DN80-65A法式异径	1.4408	1	0219043					
NO编号	Part Name名称	Mat'l材质	QTY数量	DWG NO. 图号	Size尺寸	WT重量	Client Part No. 顾客零件号	Remark 备注	
				DWG No. 图号	L0219043(组装图)		Version 版本	A/0	
				Part Name 品名	DN80-65A法式异径		Mat'l材质	1.4408	
Rev. 版本号	Mark标记	Qty处数	Modified contents 更改内容	Signature 签名	Date 日期	Client Part No. 顾客零件号	5101230	WT重量	
Undimensioned Tolerance 未标注尺寸公差表				DRAWN 制图	胡建豹	2016.2.24			
				CHECKED 审核					
				APPROVED 批准					
Dim. 尺寸				SCALE 比例	1:1	UNT单位	mm	A4	
Tol. 公差				 <a href="http://www.luxecasting.com">http://www.luxecasting.com</a> <a href="mailto:luxecasting@luxecasting.com">luxecasting@luxecasting.com</a>					



我们正在为做流体技术行业典范而努力。  
We are becoming the modle of Fluid Technclogy.



**Guillemin Couplings**

**Guillemin Reducer**

Standard  
Materials

EN14420-8/NFE29572  
Aluminum Stainless steel AISI 316 / 1.4408



Name	Size	Code	Weight	Price	d	D	H	Material
DN40-DN32	1 1/2"-11/4"	L0219034			28	70	102	SS
DN50-DN40	2" -11/2"	L0219001	1.50		38	88	122	SS
DN65-DN40	2 1/2"-11/2"	L0219002	1.66		38	104	124	SS
DN65-DN50	2 1/2"-2"	L0219003	2.13		48	104	125	SS
DN80-DN40	3" -11/2"	L0219010			48	126	145	SS
DN80-DN50	3" -2"	L0219004	2.05					SS
DN80-DN65	3" -2 1/2"	L0219005	3.10		62	126	150	SS
DN100-DN40	4" -11/2"	L0219016						SS
DN100-DN50	4" -2"	L0219006			48	146	230	SS
DN100-DN65	4" -2 1/2"	L0219017	4.01		62	146	225	SS
DN100-DN80	4" -3"	L0219007	4.91		79	146	183	SS
DN40-DN32	1 1/2"-11/4"	L0219047						AL
DN50-DN40	2" -11/2"	L0219018	0.42					AL
DN65-DN40	2 1/2"-11/2"	L0219019	0.58					AL
DN65-DN50	2 1/2"-2"	L0219011	0.66					AL
DN80-DN40	3" -11/2"	L0219020	0.87					AL
DN80-DN50	3" -2"	L0219013	0.96					AL
DN80-DN65	3" -2 1/2"	L0219009	0.89					AL
DN100-DN40	4" -11/2"	L0219021	1.13					AL
DN100-DN50	4" -2"	L0219022	1.07					AL
DN100-DN65	4" -2 1/2"	L0219014	1.23					AL
DN100-DN80	4" -3"	L0219008	1.32					AL

Guillemin Couplings



Add: G320 New Century Industrial Park, Gao' an, City, Jiangxi, 330800 China  
<http://www.Luxe-group.cn> [Luxe@Luxe-group.cn](mailto:Luxe@Luxe-group.cn) Tel:0086-795-7066681 Fax:0086-795-7066682



Guillemin Couplings

Welding BW

Standard  
Materials

EN14420-8/NFE29572  
Stainless steel AISI 316 / 1.4408



Name	Size	Code	Weight	Price	D	H	Material
DN15	1/2"	L0205002	0.120		21.4	46	SS
DN20	3/4"	L0205001	0.143		26.7	53	SS
DN25	1"	L0205003	0.440				SS
DN32	1 1/4"	L0205004	0.228				SS
DN40	1 1/2"	L0205005	0.440				SS
DN50	2"	L0205006	0.910		60.3	82	SS
DN65	2 1/2"	L0205007	1.080		76.1	82.5	SS
DN80	3"	L0205008	1.830				SS
DN100	4"	L0205009	2.189		114	105	SS
DN150	6"	L0205010	8.880		168.3	172.5	SS

DN15	1/2"	L0207001	0.060		21.4	33.5	SS
DN20	3/4"	L0207002	0.110				SS
DN25	1"	L0207003	0.130		33.4	38	SS
DN32	1 1/4"	L0207004	0.180		42	45	SS
DN40	1 1/2"	L0207005	0.330		48.3	57.5	SS
DN50	2"	L0207006	0.860				SS
DN65	2 1/2"	L0207007	1.010				SS
DN80	3"	L0207008	1.180		88.9	77	SS
DN100	4"	L0207009	1.570		114.3	85.5	SS

DN15	1/2"	L0208001			21.7	25	SS
DN20	3/4"	L0208002			27	39.5	SS
DN25	1"	L0208003			33.8	38	SS
DN32	1 1/4"	L0208004			42.6	46	SS
DN40	1 1/2"	L0208005			48.8	40.5	SS
DN50	2"	L0208006			61	47.5	SS
DN65	2 1/2"	L0208007			73.9	48	SS
DN80	3"	L0208008			89.8	56.6	SS
DN100	4"	L0208009			115.4	62.5	SS



我们正在为做流体技术行业典范而努力。  
We are becoming the modle of Fluid Technclogy.




Guillemin Couplings

Gasket for Guillemin


Seal NBR VITON EPDM HYPALON

Name	Size	Code	Weight	Price	D	H	Material
DN15	1/2"	L0216001-1			17	3.5	NBR
DN20	3/4"	L0216001-2			23	3.5	NBR
DN25	1"	L0216001-3			27.25	4	NBR
DN32	1 1/4"	L0216001-4			32	4.5	NBR
DN40	1 1/2"	L0216001-5			43	5	NBR
DN50	2"	L0216001-6			54	5	NBR
DN65	2 1/2"	L0216001-7			69	6	NBR
DN80	3"	L0216001-8			85	6	NBR
DN100	4"	L0216001-9			103.5	7	NBR
DN150	6"	L0216001-10			156.5	8.5	NBR
DN15	1/2"	L0216002-1			17	3.5	VITON
DN20	3/4"	L0216002-2			23	3.5	VITON
DN25	1"	L0216002-3			27.25	4	VITON
DN32	1 1/4"	L0216002-4			32	4.5	VITON
DN40	1 1/2"	L0216002-5			43	5	VITON
DN50	2"	L0216002-6			54	5	VITON
DN65	2 1/2"	L0216002-7			69	6	VITON
DN80	3"	L0216002-8			85	6	VITON
DN100	4"	L0216002-9			103.5	7	VITON
DN150	6"	L0216002-10			156.5	8.5	VITON
DN15	1/2"	L0216003-1			17	3.5	EPDM
DN20	3/4"	L0216003-2			23	3.5	EPDM
DN25	1"	L0216003-3			27.25	4	EPDM
DN32	1 1/4"	L0216003-4			32	4.5	EPDM
DN40	1 1/2"	L0216003-5			43	5	EPDM
DN50	2"	L0216003-6			54	5	EPDM
DN65	2 1/2"	L0216003-7			69	6	EPDM
DN80	3"	L0216003-8			85	6	EPDM
DN100	4"	L0216003-9			103.5	7	EPDM
DN150	6"	L0216003-10			156.5	8.5	EPDM
DN15	1/2"	L0216004-1			17	3.5	HYPALON
DN20	3/4"	L0216004-2			23	3.5	HYPALON
DN25	1"	L0216004-3			27.25	4	HYPALON
DN32	1 1/4"	L0216004-4			32	4.5	HYPALON
DN40	1 1/2"	L0216004-5			43	5	HYPALON
DN50	2"	L0216004-6			54	5	HYPALON
DN65	2 1/2"	L0216004-7			69	6	HYPALON
DN80	3"	L0216004-8			85	6	HYPALON
DN100	4"	L0216004-9			103.5	7	HYPALON
DN150	6"	L0216004-10			156.5	8.5	HYPALON



Guillemin Couplings





Each item must be tested for air pressure under water,  
pressure of 0.6-0.8 Mpa without leaking bubble of 30 seconds

701	pin	1.4408	1				
601	EN14420-6/DIN28450	1.4408	1				
501	Gasket	NBR	1				
401	Snap ring	NBR	1				
301	lock	1.4408	1				
201	Gasket	NBR	1				
101	FM	1.4408	1				
7	Pin	1.4408	1				
6	EN14420-6/DIN28450	1.4408	1				
5	Gasket	NBR	1				
4	Snap ring	1.4408	1				
3	lock	1.4408	1				
2	Gasket	NBR	1				
1	FM	1.4408	1				
No编号	Part Name 名称	Mat'l材质	QTY 数量	DWG NO 图号	Size	Wt重量	Remark



我们正在为做流体技术行业典范而努力。  
We are becoming the modle of Fluid Technclogy.



Guillemin Couplings

**Guillemin Couplings Female with safety handle**

Standard EN14420-8/NFE29572  
Materials Stainless steel AISI 316 / 1.4408

Name	Size	Code	Weight	Price	D	H	Material
DN50	2"	L0281001				105	SS
DN80	3"	L0281002					SS



**Guillemin Couplings Male with safety handle**

Standard EN14420-8/NFE29572  
Materials Stainless steel AISI 316 / 1.4408

Name	Size	Code	Weight	Price	D	H	Material
DN50	2"	L0282001					SS
DN80	3"	L0282002					SS

**Guillemin Couplings Guillemin with safety handle helical end**

Standard EN14420-8/NFE29572  
Materials Stainless steel AISI 316 / 1.4408

Name	Size	Code	Weight	Price	D	H	Material
DN50	2"	L0280001			49.5	171	SS
DN80	3"	L0280002			81.5	190	SS



**Guillemin Couplings 360° Swivel Guillemin**

Standard EN14420-8/NFE29572  
Materials Stainless steel AISI 316 / 1.4408

Name	Size	Code	Weight	Price	D	H	Material
DN50	2"	L0295001					SS
DN80	3"	L0295002					SS
DN100	4"	L0295003					SS

with composite hose end



360° Swivel



**NEW produce**



Add: G320 New Century Industrial Park, Gao' an, City, Jiangxi, 330800 China  
http://www.Luxe-group.cn [Luxe@Luxe-group.cn](mailto:Luxe@Luxe-group.cn) Tel:0086-795-7066681 Fax:0086-795-7066682



API couplings

API

Standard  
Materials

Aluminum+T6

Name	Size	Code	Weight	Price	Material
DN80	3"	L1012003			AL

